

ACCREDITED SOLUTION

EXPLORER™ – Cisco Systems VPN Client



Document Name: EXPLORER™ – Cisco Systems VPN Client

Revision: C

Introduction: This document describes the Cisco VPN Client solution for use with EXPLORER™ terminals

Typical Applications: ▶ Small business and small office/home office (SOHO)

Product Description: Simple to deploy and operate, the Cisco VPN Client allows organizations to establish end-to-end, encrypted VPN tunnels for secure connectivity for mobile employees or teleworkers. This thin design, IP security (IPSec)-implementation is compatible with all Cisco virtual private network (VPN) products.

The Cisco VPN Client can be preconfigured for mass deployments, and initial logins require little user intervention. It supports the innovative Cisco Easy VPN capabilities, delivering a uniquely scalable, cost-effective, and easy-to-manage remote access VPN architecture that eliminates the operational costs associated with maintaining a consistent policy and key management method. The Cisco Easy VPN feature allows the Cisco VPN Client to receive security policies upon a VPN tunnel connection from the central site VPN device (Cisco Easy VPN Server), minimizing configuration requirements at the remote location. This simple and highly scalable solution is ideal for large remote access deployments where it is impractical to individually configure policies for multiple remote PCs.

The Cisco VPN Client supports Windows 98, ME, NT 4.0, 2000, and XP; Linux (Intel); Solaris (UltraSparc 32-bit and 64-bit); and Mac OS X, 10.2, 10.3, and 10.4. The Cisco VPN Client is compatible with the following Cisco products:

- ▶ Cisco 6500 / 7600 IPSec VPNSM and VPN SPA IOS Software Release 12.2SX and later
- ▶ Cisco VPN 3000 Series Concentrator Software Version 3.0 and later
- ▶ Cisco IOS Software Release 12.2(8)T and later
- ▶ Cisco PIX Security Appliance Software Version 6.0 and later
- ▶ Cisco ASA 5500 Series Software Version 7.0 and higher
- ▶ The Cisco VPN Client is included with all models of Cisco VPN 3000 Series concentrators and Cisco ASA 5500 Series security appliances, and most Cisco PIX 500 security appliances. Customers with Cisco SMARTnet® support contracts and encryption entitlement may download the Cisco VPN Client from the Cisco Software Center at no additional cost. For customers without Cisco SMARTnet support contracts, a media CD containing the client software is available for purchase.

Benefits:

- ▶ Secured access to corporate resources
- ▶ Remote PC and handheld protection
- ▶ Flexible connectivity options
- ▶ Simplified central management for lower total cost of ownership

Note: This version of the VPN client is NOT compatible with the Windows NT 3.x and 4.x operating systems. If you are using a Windows 95, Windows 98, or Windows NT platform, you must update the VPN Client software manually. Generally, an administrator sends a notification to inform you that you must upgrade.

Cisco Systems contact details:	Support	http://www.cisco.com/web/about/ac49/ac162/about_cisco_customer_service_contacts.html
	Sales	http://www.cisco.com/en/US/ordering/or13/or8/order_customer_help_how_to_order_listing.html
	Web site	http://www.cisco.com/

Thrane & Thrane contact details:

E-mail <mailto:support@thrane.com>
Phone +45 3955 8800
Web site <http://www.thrane.com>

Tested on products:

EXPLORER™ 300 Software version: 1.04
EXPLORER™ 500 Software version: 1.04
EXPLORER™ 700 Software version: 1.01

Cisco VPN Client:

Software version: 4.8.00.0440

Instructions:


It is recommended to remove any old VPN Client software before installing the Cisco VPN Client with MSI.

1. Remove any existing VPN Client through the Add/Remove available from the Windows Control Panel.
2. Install the VPN Client using the MSI installer (vpnclient_en.msi). This may take a few minutes as it gathers system information.
3. To continue the installation choose [Next]
4. Accept the license agreement [Next]
5. [Next]
6. [Next]
7. [Finish]
8. Restart your system


After successfully installing the Cisco VPN Client software a New Connection Entry must be imported.

Start up the Cisco VPN Client from Start -> Programs -> Cisco Systems VPN Client -> VPN Client


Your network administrator might have created other connection entry profiles for you. To use such a profile, you must first import that profile to the Profiles directory on your computer. To import a new connection entry profile from a file, either display the Connection Entries menu and choose Import (as shown below) or click the Import icon on the toolbar above the Connection Entries tab. The VPN Client displays the Import VPN Connection dialog box.



Type the file name (a file with a .pcf extension) in the File Name box or browse to find the file you want to import (see next page).




The VPN Client displays a message to let you know that the import action succeeded and places the imported profile in the Cisco Systems\VPN Client\Profiles directory.



You are now ready to use the Cisco VPN Client.


If your computer is connected to the Internet for instance via your EXPLORER™ terminal, then you can click on the Connect icon or use the menu as shown on next page.





After a few seconds you will be prompted for a username and passcode.



The passcode may be a combination of a personal code and the code generated in the Secure Token. Please check with your IT Administrator.



After authentication and exchange of security policies the window will disappear and a small lock  will be shown in you status window.



You are now connected to you corporate network via your Cisco VPN tunnel.

Tested:

All tests performed on a Standard and Streaming Data connection:

- #1 Simultaneous Standard Voice and Standard Data
- #2 Chat
- #3 E-mail
- #4 File Transfer
- #5 Mobile to mobile sessions
- #6 Tested trough a range of software and hardware firewall's

Information in this document is subject to change without notice and does not represent a commitment on the part of Thrane & Thrane A/S. © 2006 Thrane & Thrane A/S. All rights reserved. Printed in Denmark.