



Ultra-compact comms-on-the-move Inmarsat BGAN terminal

April 2020 Product Sheet



EXPLORER 323

Ultra-compact comms-on-the-move BGAN terminal

Compact voice and broadband solution

EXPLORER 323 is an ultra compact BGAN terminal for voice and data communication on-the-move, a perfect match for our Cobham PRISM PTT+ solution.

The one-piece system consists of a combined tranceiver and switched beam antenna with integrated wifi.

Whether you're engaged in humanitarian operations, cargo or rail transportation, telemedicine or emergency services, you need easy deployable communication equipment you can always rely on - regardless of time or place.

Instant communication

Simply place the terminal on the roof - it is easily mounted with optional magnetic mounts - and connect your phone to the EXPLORER app or log onto the wireless network with your PC to turn the vehicle into a mobile communication hub.

No moving parts

The beam switching antenna is ultra compact and lightweight (just 3.9 kg / 8.5 lbs), ideal for vehicles or trains on-the-move. It is designed for robust and durable use with no moving parts.

COBHAM

No roaming

BGAN offers mobile broadband connectivity wherever you go at fixed pricing with no roaming fees. With the EXPLORER 323 you know your cost of communication regardless of the number of borders you cross.

First of its kind

As a vehicular terminal, EXPLORER 323 is the first terminal to obtain both Inmarsat Class 12 Type Approval and BGAN M2M Certification, enabling it to operate with traditional BGAN and BGAN M2M SIM cards.

General

Interfaces

Standard:

Data rate:

1 x WLAN interface

1 x LAN interface

User Interface:	Status LED	
	Web interface	
	Factory default reset	
Languages:	UK, FR, DE, ES, RU, JP, CN, PT	
Approvals:	CE, GMPCS, FCC, IC, RCM	
	Inmarsat Class 12 and	
	Inmarsat M2M Type Approval	

802.11 b/g

10/100 Mbps

Combined connector providing DC power input, ignition and

Hybrid cable, wires: Power 2, Ignition 1, Ethernet 4 + 1 (shield)

Combined DC power and Ethernet connector

Power

DC input range (nom.):	12 - 24VDC
Power (max) @10.5-32V.:	35W

Other features

EXPLORER Connect App

For making telephone calls from your smartphone. Available for Android and iPhone.

Set-up and Router Functionality

Webserver, Built-in NAT Router, Admin control (password protected), DHCP, Network Management, Remote Management, SIP Server, Point-to-Point Protocol over Ethernet (PPPoE)

Specifications

Dimensions and Weight

Height: 9.7 cm / 3.82 inches (incl. mounts) Width: Ø321 cm / Ø12.7 inches Weight: 3.9 kg / 8.5 lbs

Global Services

SMS:

Voice: 4 kbps AMBE+2

On-The-Move Communication

IP Data and Voice:

Standard IP (Rx/Tx): Up to 384 / 225 kbps (>20° elevation)

Up to 270 / 158 kbps (>5° elevation)

Streaming IP: 32, 64 kbps (>20° elevation)

Inmarsat frequencies: 1518.0 - 1525.0 MHz (Rx) (EMEA)

32 kbps (>5° elevation) 160 characters

Services supported at vehicle

1525.0 - 1559.0 MHz (Rx)

1626.5 - 1660.5 MHz (Tx)

speeds up to 200 km/h (125 mph)

1668.0 - 1675.0 MHz (Tx) (EMEA)

BGAN SIM-Card slot

Ethernet connectivity

Environmental conditions

Temperature

Operational: -25 to +55°C / -13 to 131°F Survival: -40 to +80°C / -40 to 176°F -40 to +85°C / -40 to 185°F Storage:

Relative humidity: 95% non-condensing at +40°C / +104°F

Water and dust (IP-rating) Terminal: **TP66**

EXPLORER 323 terminal (combined tranceiver and switched beam antenna). 6m combined DC power and Ethernet cable (open ended), installation guide

Product number

403723A-00500	EXPLORER 323 System

Accessories

403723A-009 Magnetic mount solution 403706A-050 **EXPLORER Connection Box** 403723A-060 15m cable for 24V DC and Ethernet

For further information please contact:



Ground Control www.GroundControl.com 3100 El Camino Real Atascadero, California 93422 USA Tel: +1 805-783-4600

